

Incidence of adverse events by treatment group

<i>Adverse event, N(%)</i>	<i>Folinic acid group (n=21)^a</i>	<i>Placebo group (n=25)</i>	<i>Overall (n=46)^a</i>	<i>Fisher P</i>
Excitement or agitation	6 (29%)	10 (40%)	16 (35%)	0.53
Insomnia	6 (29%)	10 (40%)	16 (35%)	0.53
Increased motor activity	6 (29%)	9 (36%)	15 (33%)	0.75
Restlessness	3 (14%)	7 (28%)	10 (22%)	0.31
Aggression	2 (10%)	6 (24%)	8 (17%)	0.26
Increased tantrums	1 (5%)	6 (24%)	7 (15%)	0.11
Involuntary movements	2 (10%)	4 (16%)	6 (13%)	0.67
Dry mouth, excessive thirst	3 (14%)	1 (4%)	4 (9%)	0.32
Decreased appetite	2 (10%)	2 (8%)	4 (9%)	1.00
Depression	1 (5%)	3 (12%)	4 (9%)	0.61
Gastroesophageal reflux	1 (5%)	3 (12%)	4 (9%)	0.61
Emotional lability	1 (5%)	3 (12%)	4 (9%)	0.61
Constipation	2 (10%)	1 (4%)	3 (7%)	0.59
Nasal congestion	0 (0%)	3 (12%)	3 (7%)	0.24
Confusion	1 (5%)	1 (4%)	2 (4%)	1.00
Stiffness	1 (5%)	1 (4%)	2 (4%)	1.00
Diarrhea	1 (5%)	1 (4%)	2 (4%)	1.00
Weight gain	2 (10%)	0 (0%)	2 (4%)	0.20
Headache	2 (10%)	0 (0%)	2 (4%)	0.20
Weight loss	1 (5%)	0 (0%)	1 (2%)	0.46
Drowsiness	0 (0%)	1 (4%)	1 (2%)	1.00
Sweating	0 (0%)	1 (4%)	1 (2%)	1.00
Decreased motor activity	0 (0%)	0 (0%)	0 (0%)	1.00
Tremors	0 (0%)	0 (0%)	0 (0%)	1.00
Blurred vision	0 (0%)	0 (0%)	0 (0%)	1.00
Increased salivation	0 (0%)	0 (0%)	0 (0%)	1.00
Nausea/vomiting	0 (0%)	0 (0%)	0 (0%)	1.00
Dizziness	0 (0%)	0 (0%)	0 (0%)	1.00
Rash	0 (0%)	0 (0%)	0 (0%)	1.00
Any adverse effect	12 (57%)	17 (68%)	29 (63%)	0.55